

Dynapac PL2000

High capacity planers

Atlas Copco



Technical data



Cutting section

Working width	2,010 mm
Cutting depth	320 mm
Cutting drum diameter	1,100 mm
Spacing	15 mm
Number of tools	162



Working performance

Operating speed	0-40
Travel speed	0-5
Theoretical turning radius	2,125 mm
4 heavy-duty tracks (mm)	1890x306x685



Tank capacities

Fuel tank	1,100 l
Hydraulic tank	270 l
Water tank	3,700 l



Loading system

Belt width (collecting conveyor)	850 mm
Belt width (discharge conveyor)	800 mm
Theoretical swept volume	470 m ³ /h



Masses

Transport mass	28.2 t
Operating mass (CE)	30.7 t
Max. operating mass, fully loaded (CE)	33.4 t



Engine

Manufacturer/Model	Cummins QSX 15
Fuel	Diesel
Cooling	Water
Number of cylinders	6
Rated power, SAE J1995	447 kW (600 hp) @ 2,100 rpm

Find us locally at www.atlascopco.com

We reserve the right to change specifications without notice. Photos and illustrations do not always show standard versions of machines. The above information is a general description only, all informations are supplied without liability.




rce_pl2000_en-20140416.110740.pdf 2014-04-16 11:07

Dynapac PL2000

High capacity planers

Atlas Copco

Technical data



Find us locally at www.atlascopco.com

We reserve the right to change specifications without notice. Photos and illustrations do not always show standard versions of machines. The above information is a general description only, all informations are supplied without liability.

rce_pl2000_en-20140416.110740.pdf 2014-04-16 11:07